



wire + conduit

**YOUR CABLE PROTECTION AND
IDENTIFICATION SPECIALIST**

**2004 TRADE PRICE LIST
2004 LISTE DE PRIX**

EFFECTIVE - APRIL 1, 2004
SUPERCEDES LIST DATED - May 1, 2002

EN VIGUEUR - AVRIL, 2004
CERTE LISTE DE PRIX REMPLACE CELLE DATEE 1 MA1, 2002

ALL TAXES EXTRA

25 Sims Crescent, Richmond Hill, Ontario L4B 1C9
Tel: (905) 731-0338 Fax: (905) 731-9570
Toll Free: 1-800-483-3473
www.easternwire.com



We are a full line ISO 9002 Registered Canadian manufacturer with the following **SPECIAL SERVICES**:

- ▶ Liquid-Tight has Sequential Length Markings
i.e. - 30 meters, 29 meters, 28 meters etc. (or feet)
- ▶ Custom labelling
- ▶ Custom PVC Jacket Colors, Flame and Temperature rating
- ▶ Custom Lengths
- ▶ CPID - Cable Protection Identification:
Custom Armoring and jacketing
(Available in FT4 of Hazardous Location with full C.S.A. approval)
- ▶ Redi-Mark and Redi-Pull

**For More Information & Pricing
Please Contact your Local Eastern Agent**



wire + conduit

Tel: (905) 731-0338
Fax: (905) 731-9570
Toll Free: 1-800-483-3473
www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

TERMS & CONDITIONS OF SALE

- ▶ All prices are in Canadian dollars, and subject to change without notice.
- ▶ All taxes extra.
- ▶ Prices shown are for shipments of assorted sizes, of standard packages, at one time, to one destination.

DEFINITION OF ZONES

- Zone 1:** All common carrier points in Quebec and Ontario with the exception of points west of a straight line from Wawa to Hearst.
- Zone 2:** All common carrier points in New Brunswick, Nova Scotia, Manitoba Saskatchewan and parts of Ontario not covered by Zone 1.
- Zone 3:** All common carrier points in Newfoundland, P.E.I., Alberta, British Columbia and all areas not covered by Zones 1 and 2.

CONDITIONS DE VENTE

- ▶ Tous les prix sont donnés en dollars canadiens et peuvent être modifiés sans préavis.

DEFINITION DES ZONES

- Zone 1:** Tous les points du Québec and l'Ontario sont desservis par transport Regulier, sauf ceux à l'ouest d'une ligne droite de Wawa à Hearst.
- Zone 2:** Nouveau-Brunswick, Nouvelle-Écosse, Manitoba, Saskatchewan et la Partie de l'Ontario non couverte dans la Zone 1.
- Zone 3:** Terre-Neuve, T.P.E., Alberta et Colombie-Britannique non couverte dans les Zones 1 et Zone 2.
-



wire + conduit

Tel: (905) 731-0338
Fax: (905) 731-9570
Toll Free: 1-800-483-3473
www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

TABLE OF CONTENTS

Terms & Conditions of Sale

Definition of Zones

Liquid-Tight Flexible Conduit	
HYDROTITE - Type "CSA"	1
Aluminum Flexible Conduit	
Type "RAYFLEX"	2
Liquid-Tight Flexible Conduit	
HYDROTITE - Type "CSA-COM" (FT4 Rated "Computer Blue")	3
Liquid-Tight Flexible Conduit	
HYDROTITE - Type "DUAL" (Dual Listed-UL/CSA)	4
Liquid-Tight Flexible Conduit	
HYDROTITE - Type "UL" (UL Listed)	5
Liquid-Tight Flexible Conduit	
HYDROTITE - Type "EF" (Extra Flexible)	6
Liquid-Tight Flexible Conduit	
HYDROTITE - Type "SAF-T-FLEX" ("Zero halogen")	7
Liquid-Tight Flexible Conduit	
HYDROTITE - Type "SPEC-FLEX" (For Severe Applications).....	8
Steel Flexible Conduit	
Type "STFN" (Extra Flexible)	9
Armor Cutting Tool	10
Liquid-Tight Flexible Conduit	
DURAFLEX Non-Metallic Conduit	11
Liquid-Tight Flexible Conduit	
DURAFLEX Non-Metallic Tubing	12
Liquid-Tight Connectors	
DURAFLEX Non-Metallic Connectors	13
Liquid-Tight Flexible Conduit	
HYDROTITE - Type "ONP"	14
Eastern Wire + Conduit Custom Cabling Services	
Custom Armoring, Jacketing, Redi-Pull (cable bundling), Redi-Mark (cable marking)	15
Agent Network	16

Eastern Wire + Conduit is proud to offer our products exclusively through Electrical Distributors



wire + conduit

Tel: (905) 731-0338
 Fax: (905) 731-9570
 Toll Free: 1-800-483-3473
 www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

Page: 1

**Liquid Tight Flexible Conduit
 HYDROTITE - TYPE "CSA" - FT4
 CSA Certified**

High Temperature 75°C, Low Temperature - 30°C

Trade Size	Part Number	Catalog Number	UP Code	Standard Coil/Reel-Meters	Coil/Reel Weight Kilograms	List Price/Kilometer-taxes extra		
						Zone 1	Zone 2	Zone 3
3/8"	755122	CSAC0375M0030C	623133040219	30	10 kg	\$10,713	\$11,139	\$11,351
	755124	CSAC0375M0360R	623133040233	360	105 kg	10,713	11,139	11,351
1/2"	755126	CSAC0500M0030C	623133040417	30	12 kg	12,773	13,287	13,545
	755128	CSAC0500M0300R	623133040431	300	125 kg	12,773	13,287	13,545
3/4"	755130	CSAC0750M0030C	623133040516	30	16 kg	17,664	18,369	18,728
	755132	CSAC0750M0150R	623133040530	150	85 kg	17,664	18,369	18,728
1"	755135	CSAC1000M0030C	623133040615	30	22 kg	23,641	24,594	25,064
	755136	CSAC1000M0120R	623133040622	120	115 kg	23,641	24,594	25,064
1 1/4"	755139	CSAC1250M0015C	623133040714	15	16 kg	30,593	31,813	32,429
	755140	CSAC1250M0075R	623133040721	75	85 kg	30,593	31,813	32,429
1 1/2"	755142	CSAC1500M0015C	623133040813	15	20 kg	39,245	40,812	41,596
	755143	CSAC1500M0045R	623133040820	45	90 kg	39,245	40,812	41,596
2"	755145	CSAC2000M0015C	623133040912	15	22 kg	54,167	56,338	57,412
	755146	CSAC2000M0030R	623133040929	30	96 kg	54,167	56,338	57,412
2 1/2"	755148	CSAC2500M0010C	623133041018	10	18 kg	92,302	95,996	97,844
3"	755150	CSAC3000M0010C	623133041117	10	22 kg	136,405	141,857	144,588
4"	755152	CSAC4000M0008W	623133041315	8	51 kg	268,668	279,414	284,786

Standard Color: Black.

UNIQUE PRODUCT FEATURES

- ▶ All Hydrotite Conduits have sequential numeric length markings (in one meter intervals).
- ▶ Custom print any message up to 200 characters long - Customs colors available. Please consult factory.



wire + conduit

Tel: (905) 731-0338
 Fax: (905) 731-9570
 Toll Free: 1-800-483-3473
 www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

Page: 2

**Aluminum Flexible Conduit
 TYPE "RAYFLEX"
 CSA Certified**

Trade Size	Part Number	Catalog Number	UP Code	Standard Coil/Reel-Meters	Coil/Reel Weight Kilograms	List Price/Kilometer-taxes extra		
						Zone 1	Zone 2	Zone 3
5/16"	755001	ALUC0312M0075W	623133010113	75	5.6 kg	\$5,404	\$5,616	\$5,669
3/8"	755003	ALUC0375M0075W	623133010229	75	7.2 kg	5,949	6,183	6,306
	755006	ALUC0375M0300R	623133010250	300	37 kg	5,949	6,183	6,306
7/16"	755008	ALUC0437M0075W	623133010311	75	7.9 kg	6,685	6,952	7,086
	755011	ALUC0437M0300R	623133010335	300	39 kg	6,685	6,952	7,086
1/2"	755013	ALUC0500M0030W	623133010410	30	7.5 kg	14,493	15,074	15,364
	755015	ALUC0500M0300R	623133010441	300	85 kg	14,493	15,074	15,364
3/4"	756553	ALUC0750M0030W	623133010519	30	9.1 kg	16,901	17,579	17,915
	755018	ALUC0750M0150R	623133010533	150	46 kg	16,901	17,579	17,915
1"	756588	ALUC1000M0030W	623133010618	30	14.3 kg	29,501	30,681	31,270
	755021	ALUC1000M0120R	623133010632	120	85 kg	29,501	30,681	31,270
1 1/4"	755024	ALUC1250M0015W	623133010717	15	8.7 kg	34,936	36,329	37,031
	755025	ALUC1250M0075R	623133010724	75	85 kg	34,936	36,329	37,031
1 1/2"	755027	ALUC1500M0015W	623133010816	15	11.4 kg	41,999	43,681	44,516
2"	755029	ALUC2000M0015W	623133010915	15	14.7 kg	56,415	58,676	59,801
2 1/2"	755031	ALUC2500M0015W	623133011011	15	21.9 kg	71,466	74,327	75,754
3"	755033	ALUC3000M0015W	623133011110	15	25.1 kg	91,696	95,361	97,199
3 1/2"	755035	ALUC3500M0015W	623133011219	15	28.4 kg	157,033	163,316	166,458
4"	755037	ALUC4000M0015W	623133011318	15	32.0 kg	209,347	217,726	221,913

UNIQUE PRODUCT FEATURES

- ▶ Rugged, flexible, non-jacketed aluminum conduit.
- ▶ Ideal where light weight and flexibility are important.



wire + conduit

Tel: (905) 731-0338
 Fax: (905) 731-9570
 Toll Free: 1-800-483-3473
 www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

Page: 3

**Liquid Tight Flexible Conduit
 HYDROTITE - TYPE "CSA-COM"
 FT4 Rated Computer Blue
 CSA Certified/UL Listed**

High Temperature 75°C, Low Temperature - 30°C

Trade Size	Part Number	Catalog Number	UP Code	Standard Coil/Reel-Meters	Coil/Reel Weight Kilograms	List Price/Kilometer-taxes extra		
						Zone 1	Zone 2	Zone 3
3/8"	755093	CM4D0375M0030C	623133030210	30	10 kg	\$17,552	\$18,257	\$18,604
	755094	CM4D0375M0360R	623133030227	360	105 kg	17,552	18,257	18,604
1/2"	755096	CM4D0500M0030C	623133030418	30	12 kg	20,921	21,761	22,176
	755098	CM4D0500M0300R	623133030432	300	125 kg	20,921	21,761	22,176
3/4"	755100	CM4D0750M0030C	623133030517	30	16 kg	29,205	30,369	30,962
	755101	CM4D0750M0150R	218286231333	150	85 kg	29,205	30,369	30,962
1"	755104	CM4D1000M0030C	623133030616	30	22 kg	40,140	41,742	42,548
	755105	CM4D1000M0120R	623133030623	120	115 kg	40,140	41,742	42,548
1 1/4"	755107	CM4D1250M0015C	623133030715	15	16 kg	51,938	54,021	55,051
	755108	CM4D1250M0075R	623133030722	75	85 kg	51,938	54,021	55,051
1 1/2"	755110	CM4D1500M0015C	623133030814	15	20 kg	64,868	67,464	68,763
	755111	CM4D1500M0045R	623133030821	45	96 kg	64,868	67,464	68,763
2"	755113	CM4D2000M0015C	623133030913	15	25 kg	88,754	92,302	94,083
	755114	CM4D2000M0030R	623133030920	30	105 kg	88,754	92,302	94,083
2 1/2"	755116	CM4D2500M0010C	623133031019	10	18 kg	151,236	157,281	160,313
3"	755118	CM4D3000M0010C	623133031118	10	22 kg	227,755	236,867	241,422
4"	755120	CM4D4000M0008C	623133031316	8	15 kg	464,678	483,259	492,549

Standard Color: Blue, Complete with Integral Copper Ground Wire, Sequential Length Markings
 Custom colors also available (consult factory)

UNIQUE PRODUCT FEATURES

- Suggested Uses:** Suitable for computer room environments.
Blue cover uniquely identifies computer circuits.
- Temperature Range:** + 167 degrees Fahrenheit, + 75 degrees Centigrade
- 22 degrees Fahrenheit, - 35 degrees Centigrade
- Additional Features:** **FT4 RATED**
Excellent dielectric properties. Flexible in cold temperatures.
UV resistant. Water resistant.
- Other Applications:** Also available as a jacketing component in our Custom Armoring Process (we armor and /or jacket cable).



wire + conduit

Tel: (905) 731-0338
 Fax: (905) 731-9570
 Toll Free: 1-800-483-3473
 www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

Page: 4

**Liquid Tight Flexible Conduit
 HYDROTITE - TYPE "DUAL"
 Dual Listed - UL/CSA**

High Temperature 75°C, Low Temperature - 30°C

Trade Size	Part Number	Catalog Number	Standard Coil/Reel-Feet	Coil/Reel Weight Kilograms	List Price/1000 Feet-taxes extra		
					Zone 1	Zone 2	Zone 3
3/8"	755661	623133200217	100	10 kg	\$3603	\$3745	\$3820
1/2"	755663	623133200415	100	12 kg	4564	4747	4839
	755666	623133200422	1000	125 kg	4564	4747	4839
3/4"	755668	623133200514	100	16 kg	6105	6350	6472
	758701	623133200521	500	85 kg	6105	6350	6472
1"	755670	623133200613	100	22 kg	9022	9382	9562
	759529	623133200620	400	115 kg	9022	9382	9562
1 1/4"	755672	623133200712	50	16 kg	11885	12360	12598
1 1/2"	755674	623133200811	50	20 kg	15056	15657	15959
2"	755676	623133200910	50	22 kg	18622	19365	19739
2 1/2"	755678	623133201016	25	18 kg	33912	35270	35946
3"	755680	623133201115	25	22 kg	50116	52119	53120
4"	755684	623133201313	25	51 kg	97687	101593	103548

UNIQUE PRODUCT FEATURES

- ▶ UL Listed, CSA Certified, Standard Color - Machine Tool Grey, Sequential Length Markings, Complete with Integral Copper Ground Wire.

*** Please note that this product is available with a Computer Blue, FT4 Rated Jacket.**



wire + conduit

Tel: (905) 731-0338
 Fax: (905) 731-9570
 Toll Free: 1-800-483-3473
 www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

Page: 5

**Liquid Tight Flexible Conduit
 HYDROTITE - TYPE "UL"
 UL Listed**

High Temperature 75°C, Low Temperature - 30°C

Trade Size	Part Number	Catalog Number	UP Code	Standard Coil/Reel-Feet	Coil/Reel Weight Kilograms	List Price/1000 Feet-taxes extra		
						Zone 1	Zone 2	Zone 3
3/8"	755686	ULCU0375F0100C	623133160221	100	8.63 kg	\$2,757	\$2,866	\$2,921
	755690	ULCU0375F1200R	623133160245	1,200	82 kg	2,757	2,866	2,921
1/2"	755693	ULCU0500F0100C	623133160429	100	10.45 kg	3,286	3,415	3,480
	755697	ULCU0500F1000R	623133160443	1,000	130 kg	3,286	3,415	3,480
3/4"	755700	ULCU0750F0100C	623133160511	100	13.18 kg	4,585	4,763	4,862
	755702	ULCU0750F0500R	623133160535	500	156 kg	4,585	4,763	4,862
1"	755705	ULCU1000F0100C	623133160610	100	19.09 kg	6,588	6,848	6,984
	755707	ULCU1000F0400R	623133160627	400	182 kg	6,588	6,848	6,984
1 1/4"	755709	ULCU1250F0050C	623133160719	50	25.00 kg	8,523	8,864	9,034
	757213	ULCU1250F0250R	623133160726	250	197 kg	8,523	8,864	9,034
1 1/2"	757214	ULCU1500F0050C	623133160818	50	30.90 kg	10,642	11,065	11,283
	755711	ULCU1500F0150R	623133160825	150	210 kg	10,642	11,065	11,283
2"	755713	UCLU2000F0050C	623133160917	50	40.90 kg	14,565	15,145	15,435
	755714	ULCU2000F0100R	623133160924	100	230 kg	14,565	15,145	15,435
2 1/2"	757185	ULCU2500F0025C	623133161020	25	53.18 kg	23,743	24,692	25,169
3"	757215	ULCU3000F0025C	623133161129	25	64.55 kg	35,756	37,186	37,902
4"	757357	ULCU4000F0025C	623133161327	25	111.36 kg	72,948	75,862	77,326

Standard Color: Machine Tool Grey

UNIQUE PRODUCT FEATURES

- ▶ UL Listed, Sequential Length Markings, Complete with Integral Copper Ground Wire.

* Please note that this product is available with a Computer Blue, FT4 Rated Jacket.



wire + conduit

Tel: (905) 731-0338
 Fax: (905) 731-9570
 Toll Free: 1-800-483-3473
 www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

Page: 6

**Liquid Tight Flexible Conduit
 HYDROTITE - TYPE "EF"
 Extra Flexible (Non-CSA)**

High Temperature 80°C, Low Temperature - 30°C

Trade Size	Part Number	Catalog Number	UP Code	Standard Coil/Reel-Feet	Coil/Reel Weight Kilograms	List Price/1000 feet-taxes extra		
						Zone 1	Zone 2	Zone 3
3/8"	755203	EFSN0375F0100C	623133080222	100	7.16 kg	\$ 3,148	\$ 3,274	\$ 3,338
	755206	EFSN0375F1200R	623133080246	1,200	60 kg	3,148	3,274	3,338
1/2"	755209	EFSN0500F0100C	623133080420	100	8.46 kg	3,511	3,651	3,722
	755211	EFSN0500F1000R	623133080444	1,000	64 kg	3,511	3,651	3,722
3/4"	755213	EFSN0750F0100C	623133080512	100	13.99 kg	4,744	4,934	5,029
	755214	EFSN0750F0500R	623133080529	500	158 kg	4,744	4,934	5,029
1"	755216	EFSN1000F0100C	623133080611	100	22.16 kg	7,433	7,732	7,878
	755217	EFSN1000F0400R	623133080628	400	161 kg	7,433	7,732	7,878
1 1/4"	755219	EFSN1250F0050C	623133080710	50	28.61 kg	9,817	10,211	10,407
	755220	EFSN1250F0250R	623133080727	250	124 kg	9,817	10,211	10,407
1 1/2"	755222	EFSN1500F0050C	623133080819	50	33.76 kg	14,119	14,683	14,968
	755223	EFSN1500F0150R	623133080826	150	77 kg	14,119	14,683	14,968
2"	755225	EFSN2000F0050C	623133080918	50	42.84 kg	17,154	17,841	18,183
	755226	EFSN2000F0100R	623133080925	100	50 kg	17,154	17,841	18,183
2 1/2"	755229	EFSN2500F0025C	623133081021	25	54.59 kg	32,333	33,626	34,275
3"	755232	EFSN3000F0025C	623133081120	25	65.06 kg	36,254	47,545	48,462
4"	755237	EFSN4000F0025W	623133081328	25	90.74 kg	92,659	96,367	98,217

Standard Color: Machine Tool Grey

UNIQUE PRODUCT FEATURES

- ▶ Extra Flexible, Sequential Length Markings.
- ▶ EF is suitable for applications that require an extra-flexible, metallic, liquid-tight flexible conduit.



wire + conduit

Tel: (905) 731-0338
 Fax: (905) 731-9570
 Toll Free: 1-800-483-3473
 www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

Page: 7

**Liquid Tight Flexible Conduit
 HYDROTITE - TYPE "SAF-T-FLEX"
 "Zero Halogen"**

High Temperature 75°C, Low Temperature - 35°C

Zero Halogen Thermal Plastic Jacket, Liquid-Tight Flexible Conduit-CSA Certified, Dual Listed Core

Trade Size	Part Number	Catalog Number	UP Code	Standard Coil/Reel-Feet	Coil/Reel Weight Kilograms	List Price/1000 Feet-taxes extra		
						Zone 1	Zone 2	Zone 3
3/8"	755718	ZHAN0375F0100C	623133180212	100	10 kg	\$14,577	\$15,161	\$15,453
	755720	ZHAN0375F1200R	623133180236	1,200	105 kg	14,577	15,161	15,453
1/2"	755722	ZHAN0500F0100C	623133180410	100	12 kg	16,594	17,260	17,589
	755725	ZHAN0500F1000R	623133180441	1,000	125 kg	16,594	17,260	17,589
3/4"	755727	ZHAN0750F0100C	623133180519	100	16 kg	22,173	23,059	23,504
	755728	ZHAN0750F0500R	623133180526	500	85 kg	22,173	23,059	23,504
1"	755730	ZHAN1000F0100C	623133180618	100	22 kg	33,368	34,703	35,372
	755731	ZHAN1000F0400R	623133180625	400	115 kg	33,368	34,703	35,372
1 1/4"	755733	ZHAN1250F0050C	623133180717	50	16 kg	43,494	45,232	46,105
	755734	ZHAN1250F0250R	623133180724	250	85 kg	43,494	45,232	46,105
1 1/2"	755736	ZHAN1500F0050C	623133180816	50	20 kg	61,888	64,363	65,603
	755737	ZHAN1500F0150R	623133180823	150	90 kg	61,888	64,363	65,603
2"	755739	ZHAN2000F0050C	623133180915	50	22 kg	74,958	77,956	79,457
	755740	ZHAN2000F0100R	623133180922	100	96 kg	74,958	77,956	79,457
2 1/2"	755742	ZHAN2500F0025C	623133181011	25	18 kg	94,696	98,486	100,373
3"	755744	ZHAN3000F0025C	623133181110	25	22 kg	114,088	118,655	120,934
4"	755746	ZHAN4000F0025C	623133181318	25	51 kg	137,456	142,961	145,708

Standard Color: Dark Brown/Black with Integral Copper Ground Wire, Sequential Length Markings

UNIQUE PRODUCT FEATURES

Suggested Uses: Suitable for applications that require minimal toxicity in case of fire. e.g. Transit Systems, Air Handling Systems.

Temperature Range: + 167 degrees Fahrenheit, + 75 degrees Centigrade
 - 31 degrees Fahrenheit, - 35 degrees Centigrade

Additional Features: Jacket material greatly exceeds ASTM E 162 surface flammability tests for both general applications as well as acoustic and thermal insulation applications. (ASTM E 162 is a testing procedure generally accepted by transit authorities)
 Jacket material qualifies for 94V-0 classification according to UL94 SMP801 acceptance pending at time of publication.
 Excellent dielectric properties. Flexible in cold temperatures.
 UV resistant. Water resistant.

Other Applications: Also available as a jacketing component in our Custom Armoring Process (we armor and /or jacket cable).



wire + conduit

Tel: (905) 731-0338
 Fax: (905) 731-9570
 Toll Free: 1-800-483-3473
 www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

Page: 8

**Liquid Tight Flexible Conduit
 HYDROTITE - TYPE "SPEC-FLEX"
 For Severe Applications
 CSA Certified**

High Temperature 135°C (275°F), Low Temperature - 51°C (-60°F)
 Resists Acids, Oils, Most Industrial Chemicals - Dual Listed Core

Trade Size	Part Number	Catalog Number	UP Code	Standard Coil/Reel-Feet	Coil/Reel Weight Kilograms	List Price/1000 Feet-taxes extra		
						Zone 1	Zone 2	Zone 3
3/8"	755519	SPXN0375F0100C	623133140216	100	10 kg	\$4,530	\$4,710	\$4,801
	755521	SPXN0375F1200R	623133140223	1,200	105 kg	4,530	4,710	4,801
1/2"	755523	SPXN0500F0100C	623133140414	100	12 kg	5,399	5,616	5,722
	755526	SPXN0500F1000R	623133140438	1,000	125 kg	5,399	5,616	5,722
3/4"	755528	SPXN0750F0100C	623133140513	100	16 kg	7,467	7,766	7,915
	755529	SPXN0750F0500R	623133140520	500	85 kg	7,467	7,766	7,915
1"	755531	SPXN1000F0100C	623133140612	100	22 kg	10,445	10,863	11,073
	755532	SPXN1000F0400R	623133140629	400	115 kg	10,445	10,863	11,073
1 1/4"	755534	SPXN1250F0050C	623133140711	50	16 kg	13,514	14,055	14,326
	755535	SPXN1250F0250R	623133140728	250	85 kg	13,514	14,055	14,326
1 1/2"	755537	SPXN1500F0050C	623133140810	50	20 kg	17,338	18,031	18,377
	755538	SPXN1500F0150R	623133140827	150	90 kg	17,338	18,031	18,377
2"	755540	SPXN2000F0050C	623133140919	50	22 kg	23,935	24,893	25,372
	755541	SPXN2000F0100R	623133140926	100	96 kg	23,935	24,893	25,372
2 1/2"	755543	SPXN2500F0025C	623133141015	25	18 kg	39,025	40,587	41,368
3"	755545	SPXN3000F0025C	623133141114	25	22 kg	57,670	59,976	61,131
4"	755547	SPXN4000F0025C	623133141312	25	51 kg	113,593	118,136	120,407

Exclusive to Eastern Wire: Extra Tough, Handles Temperature Extremes and Highly Resistant to Harsh Environments, Sequential Length Markings.

UNIQUE PRODUCT FEATURES

- Suggested Uses:** For Harsh Environments and other Heavy Duty Applications
- Temperature Range:** + 275 degrees Fahrenheit, +135 degrees Centigrade
 - 60 degrees Fahrenheit, - 51 degrees Centigrade
- Chemical Resistance:** Oils and Lubricants, Acids and Bases, Ozone, Antifreeze, Salt, Sodium Hydroxide, Sulfuric Acid etc.
- Gas Resistance:** Nitrogen, Oxygen, Carbon Dioxide, Argon, Propane etc.
 (Tested at 14.7 psi)
- Additional Features:** Highly resistant to both harsh environments (weather, chemicals) and other heavy duty, severe applications. Good retention of tensile strength. Excellent dielectric properties. Flexible in cold temperatures. Good low temperature impact resistance. UV resistant. Water resistant.
- Other Applications:** Also available as a jacketing component in our Custom Armoring Process (we armor and /or jacket cable).



wire + conduit

Tel: (905) 731-0338
 Fax: (905) 731-9570
 Toll Free: 1-800-483-3473
 www.easternwire.com

Eastern Wire + Conduit

Trade Price List
 EFFECTIVE: April 1, 2004
 Page: 9

**Steel Flexible Conduit
 TYPE "STFN" Galvanized
 Extra Flexible (Non-CSA)**

Trade Size	Part Number	Catalog Number	UP Code	Standard Coil/Reel-Feet	Coil/Reel Weight Kilograms	List Price/1000 Feet-taxes extra		
						Zone 1	Zone 2	Zone 3
3/8"	755549	STFN0375F0100W	623133150253	100	4.68 kg	\$1,793	\$1,864	\$1,902
	755552	STFN0375F1200R	623133150277	1200	34 kg	1,793	1,864	1,902
1/2"	755554	STFN0500F0100W	623133150451	100	5.78 kg	2,054	2,136	2,176
	755557	STFN0500F1000R	623133150475	1000	37 kg	2,054	2,136	2,176
3/4"	755559	STFN0750F0100W	623133150536	100	7.42 kg	3,195	3,324	3,389
	755560	STFN0750F0500R	623133150550	500	42 kg	3,195	3,324	3,389
1"	755562	STFN1000F0100W	623133150635	100	15.24 kg	6,085	6,333	6,452
	755563	STFN1000F0400R	623133150642	400	49 kg	6,085	6,333	6,452
1 1/4"	755565	STFN1250F0050W	623133150734	50	19.80 kg	7,212	7,498	7,637
	755566	STFN1250F0250R	623133150741	250	56 kg	7,212	7,498	7,637
1 1/2"	755568	STFN1500F0050W	623133150833	50	22.63 kg	8,669	9,009	9,185
	755569	STFN1500F0150R	623133150840	150	64 kg	8,669	9,009	9,185
2"	755571	STFN2000F0100R	623133150949	100	72 kg	12,160	12,645	12,896
2 1/2"	755573	STFN2500F0025W	623133151021	25	35.03 kg	14,733	15,328	15,620
3"	755575	STFN3000F0025W	623133151120	25	43.13 kg	18,924	19,674	20,058
4"	755577	STFN4000F0025W	623133151311	25	55.87 kg	43,202	44,920	45,793

UNIQUE PRODUCT FEATURES

- ▶ STFN is a galvanized steel, Extra Flexible non-jacketed conduit.
- ▶ Suitable for applications that require extra flexibility.



wire+conduit

Tel: (905) 731-0338
Fax: (905) 731-9570
Toll Free: 1-800-483-3473
www.easternwire.com

Eastern Wire + Conduit


Trade Price List

EFFECTIVE: April 1, 2004

Page: 10

ARMOR CUTTING TOOL

Eastern Wire + Conduit recommends using a specialized "armor cutting tool".



Product	Code	Price
Roto-Split	RS-101A	\$60.52
Roto-Flex	RF-120A	\$63.07

(Note: These tools can also be used to cut flexible conduits.)

TOOL REQUIREMENTS:

- ▶ Up to 0.650" O.D. of armor (for both steel and aluminum):
Roto-Split RS-101A
- ▶ From 0.655" to 1.1" O.D. or armor (for both steel and aluminum):
Roto-Flex RF-120A



wire + conduit

Tel: (905) 731-0338
Fax: (905) 731-9570
Toll Free: 1-800-483-3473
www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

Page: 11

**Liquid Tight Flexible Conduit
"DURAFLEX"
Non-Metallic Conduit - Type "B"**

High Temperature 75°C, Low Temperature - 18°C

Canadian Standards Association (C.S.A.) Certified/Underwriters Laboratories Inc. Listed.

Trade Size	Part Number	Catalog Number	UP Code	Standard Feet	List Price/1000 Feet taxes extra
3/8"	755155	DFCD0375F0100W	623133050218	100	\$832
1/2"	755157	DFCD0500F0100W	623133050416	100	\$891
3/4"	755159	DFCD0750F0100W	623133050515	100	\$1,254
1"	755161	DFCD1000F0100W	623133050614	100	\$1,781
1 1/4"	755163	DFCD1250F0050W	623133050720	50	\$2,957
1 1/2"	755165	DFCD1500F0050W	623133050812	50	\$4,452
2"	755166	DFCD2000F0050W	623133050911	50	\$5,466

Standard Color: Grey

UNIQUE PRODUCT FEATURES

Product Features:

- ▶ Rugged mechanical protection
- ▶ Rigid helical core with a flexible PVC Jacket
- ▶ Exceeds a 300 lb. Load test
- ▶ Fitting pull test exceeds 150 lbs.
- ▶ Will not convey flame

Intended Applications:

- ▶ Wherever traditional flexible conduits are used
- ▶ Heavy duty mechanical abuse, liquid & dust protection
- ▶ e.g. Motor connections, machinery, heating and air conditioning, motor controls, sensing devices, signaling equipment

Additional Features:

- ▶ Accept all industry standard metallic & non-metallic connectors
- ▶ Can be easily cut with a knife
- ▶ Smooth interior allows for easier wire pulling
- ▶ Resistant to a number of chemicals. Resistant to ultra violet rays.

- ▶ **1 1/4" - 2" Special Request Only**



wire + conduit

Tel: (905) 731-0338
Fax: (905) 731-9570
Toll Free: 1-800-483-3473
www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

Page: 12

Liquid Tight Flexible Conduit
"DURAFLEX" Non-Metallic Tubing
UL Recognized

High Temperature 75°C, Low Temperature - 18°C

Trade Size	Part Number	Catalog Number	UP Code	Standard Meters/Feet	List Price/1000 Feet taxes extra
3/8"	755194	DFTD0375F0100W	623133070216	100	\$1,453
1/2"	755195	DFTD0500F0100W	623133070414	100	\$1,589
3/4"	755196	DFTD0750F0100W	623133070513	100	\$2,181
1"	755197	DFTD1000F0100W	623133070612	100	\$3,181
1 1/4"	755198	DFTD1250F0100W	623133070711	100	\$4,159
1 1/2"	756653	DFTD1500F0050W	623133070827	50	\$8,156
2"	759824	DFTD2000F0050W	623133070919	50	\$11,269

Standard Color: Black

UNIQUE PRODUCT FEATURES

- Product Features:**
- ▶ Tough and flexible
 - ▶ Rigid PVC core with an extra-flexible PVC jacket
 - ▶ Will not sustain flame

- Intended Applications:**
- ▶ Suitable where light to medium mechanical protection is required
 - ▶ e.g. Robotics, OEM's

- Additional Features:**
- ▶ Accept all industry standard metallic & non-metallic connectors
 - ▶ Can be easily cut with a knife
 - ▶ Smooth interior allows for easier wire pulling
 - ▶ Resistant to a number of chemicals. Resistant to ultra violet rays.

- ▶ **1 1/4" - 2" Special Request Only**



wire + conduit

Tel: (905) 731-0338
 Fax: (905) 731-9570
 Toll Free: 1-800-483-3473
 www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

Page: 13

Liquid Tight
"DURAFLEX" Non-Metallic Connectors
UL Listed and CSA Certified

STRAIGHT CONNECTORS

Trade Size	GRAY			BLACK			Price /100
	Part Number	Catalog Number	UP Code	Part Number	Catalog Number	UP Code	
3/8"	755169	DFNC0375UGS	623133060248	755167	DFNC0375UBS	623133060224	\$225
1/2"	755173	DFNC0500UGS	623133060446	755171	DFNC0500UBS	623133060422	\$225
3/4"	755177	DFNC0750UGS	623133060545	755175	DFNC0750UBS	623133060521	\$309
1"	755181	DFNC1000UGS	623133060644	755179	DFNC1000UBS	623133060620	\$443
1 1/4"	755185	DFNC1250UGS	623133060743	755183	DFNC1250UBS	623133060729	\$816
1 1/2"	755188	DFNC1500UGS	623133060842	757207	DFNC1500UBS	623133060828	\$1,120
2"	755192	DFNC2000UGS	623133060941	755190	DFNC2000UBS	623133060927	\$1,957

90 DEGREE CONNECTORS

Trade Size	GRAY			BLACK			Price /100
	Part Number	Catalog Number	UP Code	Part Number	Catalog Number	UP Code	
3/8"	755170	DFNC0375UG9	623133060231	755168	DFNC0375UB9	623133060217	\$336
1/2"	755174	DFNC0500UG9	623133060439	755172	DFNC0500UB9	623133060415	\$336
3/4"	755178	DFNC0750UG9	623133060538	755176	DFNC0750UB9	623133060514	\$459
1"	755182	DFNC1000UG9	623133060637	755180	DFNC1000UB9	623133060613	\$1,018
1 1/4"	755186	DFNC1250UG9	623133060743	755184	DFNC1250UB9	623133060712	\$1,594
1 1/2"	755189	DFNC1500UG9	623133060835	755187	DFNC1500UB9	623133060811	\$1,957
2"	755193	DFNC2000UG9	623133060934	755191	DFNC2000UB9	623133060910	\$2,852

UNIQUE PRODUCT FEATURES

- Product Features:**
- ▶ GRAY for use with non-metallic liquid-tight conduit (Duraflex - DFCD)
 - ▶ BLACK for use with non-metallic liquid-tight tubing (Duraflex - DFTD)



wire + conduit

Tel: (905) 731-0338
 Fax: (905) 731-9570
 Toll Free: 1-800-483-3473
 www.easternwire.com

Eastern Wire + Conduit

Trade Price List
 EFFECTIVE: April 1, 2004
 Page: 14

**Liquid Tight Flexible Conduit
 HYDROTITE - TYPE "ONP"
 Non-Metallic Conduit - Type "A"
 Rated 75°C (or 80°C for US)
 CSA/NRTL**

Trade Size	Part Number	Catalog Number	UP Code	Standard Coil/Reel-Feet	Coil/Reel Weight Kilograms	List Price/1000 Feet-taxes extra		
						Zone 1	Zone 2	Zone 3
3/8"	755376	ONPD0375F0100C	623133190211	100	18 kg	\$6,316	\$6,567	\$6,696
	755378	ONPD0375F0600R	623133190228	600	45 kg	6,316	6,567	6,696
1/2"	755379	ONPD0500F0100C	623133190419	100	20 kg	8,458	8,798	8,968
	755380	ONPD0500F0200C	623133190433	200	38 kg	8,458	8,798	8,968
	755381	ONPD0500F0500R	623133190426	500	41 kg	8,458	8,798	8,968
3/4"	755383	ONPD0750F0100C	623133190518	100	26 kg	11,623	12,089	12,319
	755384	ONPD0750F0175C	623133190532	175	32 kg	11,623	12,089	12,319
	755385	ONPD0750F0500R	623133190525	500	46 kg	11,623	12,089	12,319
1"	755386	ONPD1000F0100C	623133190617	100	22 kg	15,039	15,640	15,952
1 1/4"	755388	ONPD1250F0050C	623133190716	50	16 kg	19,851	20,645	21,043
1 1/2"	755389	ONPD1500F0050C	623133190815	50	21 kg	32,027	33,308	33,949
2"	755390	ONPD2000F0050C	623133190914	50	34 kg	44,615	46,401	47,290

**Standard Color: Orange, Available in standard coils or reels only
 Available in Grey - Please consult factory**

UNIQUE PRODUCT FEATURES

Suggested Uses: Suitable for applications that require a Non-Metallic Conduit that can withstand abrasive and repetitive motions.

Temperature Range: 80°C Dry, 60°C Wet, 60°C Oil Resistant

- Additional Features:**
- ▶ Liquid-tight Flexible Non-Metallic Conduit, Type "A", Layered
 - ▶ Meets all the requirements for Type "A" conduit in CSA C22.2 No. 227.2-93 and UL No. 1660
 - ▶ CSA/NRTL, File No. LL-19566
 - ▶ Acceptable for industrial machinery use (ANSI/NFPA 79-1985/ Section 15-6, Electrical Standard for Industrial Machinery).
 - ▶ Tested with recommended connectors: Appleton "STNM" series



Tel: (905) 731-0338
Fax: (905) 731-9570
Toll Free: 1-800-483-3473
www.easternwire.com

Eastern Wire + Conduit
Trade Price List
EFFECTIVE: April 1, 2004
Page 15

Eastern Wire + Conduit, an industry leader in the manufacturing of flexible conduits, has developed an extensive range of products and services that significantly reduce cable installation time and meet a variety of cable protection applications.

Eastern Wire + Conduit Systems specializes in providing the best solutions for:

- Cable Protection
- Cable Identification
- Cable Installation Efficiency

CPID - Cable Protection & Identification ®

CPID refers to Eastern's process of adding a protective interlock armor to customer supplied core. The armoring service provides outstanding mechanical protection for copper, fiber and composite cables, while maintaining cable flexibility for easy installation. Available in Galvanized steel or aluminum, and custom lengths, **CPID** armor is designed to meet exacting custom cable specifications. As an option, an outer jacket of specially formulated PVC can be added to provide further protection. The jackets are available in a wide range of colors, and can be custom printed as an optional feature.

REDI-PULL ®

REDI-PULL refers to Eastern's custom cable bundling service. It is a unique, cost effective service which bundles customer supplied wire & cable into a single cross lashed cable assembly. **REDI-PULL** eliminates the need for "multi-spool cable pull set-ups". **REDI-PULL's** unique reverse oscillated design and distinctive cross lash binding allows for easy pulling.

REDI-MARK ®

REDI-MARK is complementary cable marking service which eliminates the time and effort required to field install wire markers. It provides accurate, error free tagging.

REDI-PULL and REDI-MARK can be combined with Eastern's cable armoring and jacketing services to further improve cable installation efficiency.

*** For pricing on the above services, please contact Customer Service. List prices are available on request.**



wire + conduit

Tel: (905) 731-0338
 Fax: (905) 731-9570
 Toll Free: 1-800-483-3473
 www.easternwire.com

Eastern Wire + Conduit

Trade Price List

EFFECTIVE: April 1, 2004

Page: 16

Eastern Wire + Conduit Agent Network (CANADA)

AGENT	REGION	ADDRESS	PHONE NO.	FAX NO.
Brockway Enterprises	Atlantic Region	7 Howard Ct. Quispamsis, N.B. E2E 4J6	(506) 849 6000	(506) 847 5329
Brockway Enterprises	Atlantic Region	51 Cobequid Road, Box 794 Lower Sackville, NS B4C 3V3	(902) 864 8236	(902) 865 8252
Brockway Enterprises	Atlantic Region	68 Carlisle Drive Paradise, Nfld. A1L 1E7	(709) 782 3571	(709) 782 3671
Columbia MBF	Ontario Region	6560 Northwest Drive Mississauga, ON L4V 1P2	(905) 362 0180	(905) 362 0186
Desormeaux Dowd	Quebec City Region	232 des Peupliers Ouest Quebec, QC G1L 1H7	(418) 627 5465	(418) 627 1771
Desormeaux Dowd	Montreal Region	5150 rue Saint Patrick Montreal, QC H4E 4N5	(514) 769 9336	(514) 769 9108
Desormeaux Dowd	Ottawa Region	6610 Ten Circle Glenwalter, OT K6H 7J1	(819) 771 5700	(819) 771 3130
Hi Tech Sales (1989) Ltd.	Manitoba N.W. Ontario	40-360 Keewatin Street Winnipeg, MB R2X 2Y3	(204) 694-0000	(204) 694 0433
Hi Tech Sales (1989) Ltd.	Southern Saskatchewan Region	P.O. Box 3832 Regina, Saskatchewan S4P 3R8	(306) 761 2860	(306) 761 2870
Hi Tech Sales (1989) Ltd.	Northern Saskatchewan Region	P.O. Box 9443 Saskatoon, Saskatchewan S7K 7E9	(306) 244 7272	(306) 244 7260
McKenna Agencies	Edmonton Region	17555 108 Avenue Edmonton, AB T5S 1G2	(780) 486 2560	(780) 489 5127
McKenna Agencies	Calgary Region	5240 - 1A Street SE. 2nd Floor Calgary, AB T2H 1J1	(403) 258 3018	(403) 258 3015
Adanac	British Columbia Region	101 - 17 Fawcett Road Coquitlam, BC V3K 6V2	(604) 540 0220	(604) 540 0124

